

TECHNICAL DATA DRIVE MOTORS - SOMFY



| | | | | | | | | |
|----------------------------|-----------------------------|--|--|---------------------|----------------------|----------------------|---------------------|----------------------|
| Modell | Movelite 35 WireFree RTS | Irismo 45 WireFree RTS | Glydea Ultra 35e RTS | Glydea Ultra 35e WT | Glydea Ultra 35e DCT | Glydea Ultra 60e RTS | Glydea Ultra 60e WT | Glydea Ultra 60e DCT |
| Article no. | 11692-35-00 | 11690-00 | 11691-35-00 | 11690-35-00 | 11693-35-00 | 11691-60-00 | 11690-60-00 | 11693-60-00 |
| Max. weight of the curtain | 35 kg | 45 kg | 35 kg | 35 kg | 35 kg | 60 kg | 60 kg | 60 kg |
| Dimension | 27,8 x 9,3 x 5,2 cm | 30,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm | 32,8 x 9,3 x 5,3 cm |
| Operating voltage | 14,8 V DC | 26,5 V DC Li-Ion | 100-240 V AC 50 Hz | 100-240 V AC 50 Hz | 100-240 V AC 50 Hz | 100-240 V AC 50 Hz | 100-240 V AC 50 Hz | 100-240 V AC 50 Hz |
| Power output | 35 W | 45 W | 30 W | 30 W | 30 W | 60 W | 60 W | 60 W |
| Velocity | 15 cm/sec. | 12,5 cm/sec. - 20 cm/sec. | 12,5 cm/sec. - 20 cm/sec. | | | | | |
| Weight of the motor | 1327 g | 1434 g | 1610 g | 1633 g | 1615 g | 1614 g | 1626 g | 1612 g |
| Torque | 0,6 Nm | 0,8 Nm | 0,6 Nm | 0,6 Nm | 0,6 Nm | 1,0 Nm | 1,0 Nm | 1,0 Nm |
| Noise level | 41 dbA | 39 dBA (39-45 dbA, depending on the speed) | 39,7 dBA (29,8 - 45,2 dBA, depending on the speed) | | | | | |
| Connection | Cordless - battery operated | | 3-wire cable | 4-wire cable | 3-wire cable + RJ12 | 3-wire cable | 3-wire cable | 3-wire cable + RJ12 |
| Touch Control Technologie | Yes | Yes | Yes | No | Yes | Yes | No | Yes |
| Soft Start | Yes | Yes | Yes | No | Yes | Yes | No | Yes |
| Soft Stop | Yes | Yes | Yes | No | Yes | Yes | No | Yes |
| Bluetooth | No | No | No | No | No | No | No | No |
| Thread | No | No | No | No | No | No | No | No |
| Matters | No | No | No | No | No | No | No | No |

TECHNICAL DATA DRIVE MOTORS - MOTIONBLINDS



| Modell | Motionblinds | Eve Motionblinds |
|----------------------------|--|---|
| Article no. | 11660-00 | 11661-00 |
| Max. weight of the curtain | 25 kg | 25 kg |
| Dimension | 42 x 4 cm | 42 x 4 cm |
| Operating voltage | 14,8 V | 14,8 V |
| Power output | 30,5 W | 30,5 W |
| Velocity | 13 cm/sec. | 13 cm/sec. |
| Weight of the motor | 1030 g Battery included | 1030 g Battery included |
| Torque | 1,2 Nm | 1,2 Nm |
| Noise level | 52Db | 52Db |
| Connection | USB-C 5V | USB-C 5V |
| Touch Control Technologie | Pull control, Motionblinds BLE app, Motor programming, remote control, Motionblinds bridge app | Pull control, Controllato con Apple Home, Google Home, Amazon Alexa, SmartThings, Motor programming, remote control |
| Soft Start | No | No |
| Soft Stop | No | No |
| Bluetooth | Yes | No |
| Thread | No | Yes |
| Matters | No | Yes |

TECHNICAL DATA DRIVE MOTORS - FOREST



| | | | |
|----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Modell | Shuttle M | Shuttle L | Shuttle iOn |
| Article no. | 11681-24-00, -08, -57 | 11681-25-00, -08, -57 | 11682-14-00 |
| Max. weight of the curtain | 70 kg | 40 kg | 25 kg |
| Dimension | 23 x 5 x 7 cm | 28 x 5 x 7 cm | 32 x 5 x 7 cm |
| Operating voltage | 24 V | 240 V | 14,8 V DC |
| Power output | 65 W | 40 W | 30 W |
| Velocity | 14,0 cm/sec. - 17,0 cm/sec. | 14,0 cm/sec. - 17,0 cm/sec. | 14,0 cm/sec. - 17,0 cm/sec. |
| Weight of the motor | 980 g | 930 g | 1160 g |
| Torque | 1,5 Nm | 1 Nm | 1,0 Nm |
| Noise level | < 40 dBa | < 40 dBa | < 40 dBa |
| Connection | RF (433) | RF (433) | RF (433) |
| Touch Control Technologie | Yes | Yes | Yes |
| Soft Start | Yes | Yes | Yes |
| Soft Stop | Yes | Yes | Yes |
| Bluetooth | No | No | No |
| Thread | No | No | No |
| Matters | No | No | No |